

KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503

Tel: 785-532-7897 Fax: 785-532-7412

www.agronomy.ksu.edu/soiltesting

Research and Extension

Billing Account #: 116

Sample Information:

Sample ID: 17162 - Sample #2

North West Corner

Order Number: 32119

Lab Number: 008795

Received: 3/30/2021 Reported: 4/1/2021 Sedgwick

County:

(where sample was taken)

Soil Test Report

Prepared For: Rebecca McMahon

Sedgwick County Extension 7001 W. 21st Street N

Wichita, KS 67205

316-660-0100

rmcmahon@ksu.edu; dbindrum@ksu.edu; aaronrivers@gmail.com jskerr@ksu.edu

Results

Analysis	Value Found	Analysis	Value Found	
Soil pH (1:1, soil:water)	7.7	Buffer pH (Sikora)	7.4	
Organic Matter (LOI), %	2.8 %	Nitrate - N surface or 1st sample	1.2 ppm	
Phosphorus (P) Mehlich-3	32 ppm	Potassium (K)	325 ppm	
Lead (Pb) Nitric Digest	12.8 ppm	Arsenic (As)	2.0 ppm	
Cadmium (Cd)	0.4 ppm	Chromium (Cr) Nitric Digest	9 ppm	

Send Copy To:

Make ICT Garden

Vegetable Garden

Nutrient Graph

Nutrient		Very Low	Low	Medium	Optimum	High	Very High
pН	7.7	4.	0 5	3.6	6.0	7.0	.5
P	32	1	1 3	31	46	76 1	00
K	325	7:	5 1	41 2	200 2	221 3	00

Recommendations:

pH: The pH is high for your plants. Do not add wood ashes as this will further raise the pH. Mix 3 pounds of sulfur per 100 square feet into the soil in the fall or before planting in the spring to lower the pH. Pelletized sulfur is easier to work with than the dust though either will work.

Fertilizer: The level of phosphorus in your soil is medium but has very high levels of potassium. Some of the fertilizers listed may be lawn fertilizers but will work well for our purposes as long as they don't contain weed preventers or weed killers. Use one of the following fertilizers at the recommended rate.

> 8-10-8 at 1 pound (2 cups) per 100 square feet 9-13-7 at 1 pound (2 cups) per 100 square feet 12-22-6 at 3/4 pound (1.5 cups) per 100 square feet 20-27-5 at 1/2 pound (1 cup) per 100 square feet.

If you cannot find one of the above fertilizers, don't worry. Any fertilizer with the second number higher than the other two would be a good choice. Just follow the direction on the bag for how much to use. The fertilizer should be mixed 6 inches into the soil before planting. A rototiller works well for mixing but hand mixing with a garden fork is also possible.

Vegetables may need additional fertilizer during the growing season to be productive. See the reference Top or Side-Dressing Nitrogen Fertilizer below for more info on sidedressing.



KSU Soil Testing Laboratory 2308 Throckmorton Plant Sciences Center 1712 Claflin Road Manhattan, KS 66506-5503 Knowledge for Life

Tel: 785-532-7897 Fax: 785-532-7412 www.agronomy.ksu.edu/soiltesting

Organic Matter: The organic matter is low. You should plan to incorporate 3" of compost or other organic matter to improve the soil.

Arsenic Interpretation:

Arsenic values commonly ranges from 1-50 ppm in the U.S., while soil concentrations average 5 ppm. A concentration of 21 ppm is considered to be hazardous in the U.S.

These values should be considered a screening for arsenic and not a total concentration. The arsenic level in your sample tests at 2.0 ppm, which is within the acceptable range.

Lead Interpretation:

Lead values commonly ranges from 2-200 ppm in the U.S., while soil concentrations average 10 ppm. A concentration of 150 ppm is considered to be a hazardous level in the U.S.

Note: From analyzing soil with a known amount of total lead we usually recover 58% of the total lead. To estimate total lead in your soil multiply by 1.72.

These values should be considered a screening for lead and not a total concentration. The lead level in your sample is 22 ppm, which is within the acceptable range.

Cadmium Interpretation:

Cadmium values commonly ranges from .01-.7 ppm in the U.S., while soil concentrations average .06 ppm. A concentration of 20 ppm is considered to be hazardous in the U.S.

These values should be considered a screening for Cadmium and not a total concentration. The cadmium level in your sample is 0.4 ppm, which is within the acceptable range.

Chromium Interpretation:

Chromium values commonly ranges from 1-1000 ppm in the U.S., while soil concentrations average 100 ppm. A concentration of 1500 ppm is considered to be hazardous in the U.S.

These values should be considered a screening for chromium and not a total concentration. The chromium level in your sample is 9 ppm, which is within the acceptable range.

References (Crop Related):

Top or Side-Dressing Nitrogen Fertilizer

 $http://www.ksre.k-state.edu/lawn-garden/fruit-vegetable/Sidedressing \%\,20 from \%\,20 Gregg \%\,20 Eyestone.pdf$